
PRIMUS FLAT 17 x 10 ft











1341 Distribution Way #13 Vista, CA

E: akrobatusa@gmail.com

T: 855-946-2283

www.akrobatusa.com



EN / 01-2021





62.7 % softer bounce absorption

Read this manual carefully before assembling and using your trampoline. Keep this manual for future reference. The responsibility of the owner is to ensure that all users of the product are fully informed about the proper use of this trampoline and all safety precautions.

Thank you for choosing Akrobat Trampoline!

Your trampoline is so much more than just another outdoor toy. It was designed to provide engaging playtime, create fun memories and active exercise to all members of the family, no matter what age. Akrobat trampolines are built to last. Made of best guality European materials and as a result of skilled craftmanship, your trampoline will serve you for years to come.

Safety comes first! In order to achieve the best trampolining experience that will keep you fit and energised, please read these assembly instructions and safety recommendations thoroughly to minimize any chances of injuries.

Maximum user weight is defined by the size of the trampoline:



149 kg / 330 lbs 17 x 10 ft / 518 x 305 cm

- Adult supervision and instruction required at all times.
- Stay low to control your bounce and repeat landing in the center of the trampoline. Always control your bounce. The trampoline has to be assembled by an adult and Control is more important than height. cautiously inspected before first use.
- Do not attempt or allow somersaults. Landing on the head Make sure the safety net and the enclosure poles are or neck can cause serious injury, paralysis, or death, even correctly and securely positioned. Replace any worn, when landing in the middle of the bed. defective, or missing parts.
- No more than one person is allowed to use the trampoline Minors must be supervised by an adult person regardless at a time. Collision hazard: multiple jumpers increase the of their skills or training. Be sure to prevent access to the chances of loss of control and this can result in serious trampoline without proper supervision. iniury.
- Check the trampoline before each use. Regular mainte-Misuse or abuse of the trampoline is dangerous and can nance check-ups of the trampoline and trampoline parts result in serious injury. are necessary to prevent injuries. Keeping the trampoline impeccable will prolong the lifetime of your trampoline. . Glasses, jewellery and similar objects should be taken off
- before entering the trampoline. Empty your pockets and Serious injury, paralysis or even death can occur if the keep your hands free when jumping. Always jump on the trampoline is not used properly. middle of the jumping mat.
- This trampoline is for outdoor use only.
- Not suitable for children under 36 months small parts, choking hazard.
- Keep small children away from the trampoline while Wear clothing free of drawstrings, hooks, loops or anything others are bouncing on it. that could get caught while using the trampoline/enclo-Trampoline should be placed on a level grass surface or sure and result in entanglement. Do not attach anything soft surface such as sand or bark. Do not use trampoline on to the enclosure that is not a manufacturer-approved achard surfaces as asphalt, concrete or other similar surfaces. cessory or part of the enclosure system. Do not place trampoline around swimming pools, swings, Properly secure the trampoline/enclosure when not in use. slides, climbing walls etc.
- Protect it against unauthorized use.
- Do not use the trampoline in windy weather. If you are Do not allow a child or other persons under the trampoline. using a safety net, remove and store it for better weather Jumping on the trampoline is not recommended during conditions.
- pregnancy.
- Installation of this trampoline requires digging a tram-Do not use the trampoline under the influence of alcohol, poline pit. Before installing the trampoline make sure drugs or heavy medication. that your ground will drain well. We advise to get help by Keep all sources of heat and flames away from the product. a professional if you are not sure about the quality of the Always close the net opening before jumping. ground or other issues regarding the digging.

- The jumping mat should be kept clean and dry. Jumping Remove all hard objects around and under the trampoline. on a wet jumping mat is prohibited in order to avoid slips There should be no objects - such as fences, roofing, tree branches, laundry ropes, electrical cables etc. - anywhere and falls. near or above the trampoline. Clear the surroundings for Remove footwear before jumping on the trampoline. at least 2 metres in every direction.
- Do not eat food, sweets or chew gum when bouncing.
- Bounce in the center of the mat.
- Stop bouncing by flexing the knees as feet come in Each modification made to the trampoline must be contact with the trampoline bed. Learn this skill before approved by the manufacturer. attempting other jumps.
- When moving the trampoline, disassemble it in reverse Do not exit by a jump – always walk on and off. It is a order of assembling. Move to desired location and redangerous practice to jump from the trampoline to the assemble according to these instructions. floor or ground when dismounting, or to jump onto the In our commitment to customer satisfaction and safety, trampoline when mounting. Do not use the trampoline as please check our website regularly for important customer a springboard to other objects. Do not jump from other updates and all trampoline specifications. objects, buildings, or surfaces, onto the trampoline, or into For additional information concerning the trampoline or over the trampoline enclosure.
- Avoid bouncing too high or for too long, make regular breaks

Do not sit on the trampoline safety pad and do not stand on the edge while another person is jumping.

Ensure there is 6 meters free head space above the trampoline.

equipment, please contact the manufacturer or regularly check our website for important customer updates.



2. TRAMPOLINE PARTS

Primus 17 x 10 ft / 518 x 305 cm

| Part A | Top frame A | 2 pcs | |
|--------|------------------------------|---------|-------------------|
| Part B | Bottom frame A | 2 pcs | |
| Part C | Top frame B1 | 4 pcs | |
| Part D | Top frame B2 | 4 pcs | |
| Part E | Bottom frame B | 8 pcs | |
| Part F | Corner junction part | 4 pcs | The second second |
| Part G | Middle section junction part | 6 pcs | |
| Part H | Jumping mat | 1 pc | |
| Part I | Springs | 134 pcs | |
| Part J | Frame pad | 1 pc | |
| Part K | Frame foam | 2 pcs | |
| Part L | Frame pad elastics | 22 pcs | ð |
| Part M | Retaining PVC panels | 10 pcs | |
| Part N | Screws for panels | 80 pcs | (s) |
| Part O | Weed protection | l pc | |
| Part P | Measuring tape | l pc | |
| Part R | Spring tool | l pc | |

3. ASSEMBLY AND INSTALLATION

We recommend at least two people to assemble the trampoline. Use gloves to protect your hands from pinch points and sharp points during assembly. Do not apply excessive force during assembly that will cause damage to the product.

TOOLS: You will need a cross-head screwdriver or a battery drill with 7 mm cap for the retaining wall PVC panels.

Assembling the frame

Lay the frame sections (Part A-G) to form a rectangle with the spring holes on top of the frames facing upwards. Be careful to place bottom frames with side holes facing outside of the frame. Push all sections together until they are all fully mated together. Start assembling with B1 top and bottom frame B and follow assembling in the circle.

AKROBAT HINT:

For easier assembling of frame parts apply some grease for bearings to all junctions.


Please note: On the long sides, the frame will appear to bow outwards - this is by design. When the springs are attached the frame will pull inwards, but always have a slide outward bow.

to those that we publish.

Safety net assembly parts*

| Part S | Poles for safety net | 10 pcs | |
|--------|----------------------|--------|--|
| Part T | Safety net | 1 рс | |

* The safety net is not part of the set.



Important: all trampoline sizes are approximate and can be up to +/- 1" (2,5 cm) different




Fitting the mat and installing the springs

Lay the mat flat inside the frame. Make sure the logo is facing upwards. In order to make the installation of the jumping mat easier, locate the four rings in the corners of the jumping mat and attach four springs on these locations first. Pass the springs through the spring loops on the corners underside of the jumping mat.

Continue by attaching springs from the corners to the middle of the jumping mat until all springs are attached.


At first, it may look like the mat won't fit, it will however stretch to the correct size when you finish attaching all springs. Attach springs simultaneously on both sides of the frame (one person at each side).








Important: Be sure all spring hooks are well attached to the frame.





Attaching the PVC retaining panels

The next step is screwing the PVC retaining wall panels to the frame. You will need the crosshead screwdriver or a battery drill with 7 mm cap and gloves. Take one panel and place it against the outside of the frame. You will find eight holes in the frame and eight holes in the wall panel. Insert and tighten the eight screws to attach the panel tightly to the frame. Repeat with all remaining panels.



should be attached to the right place of the frame. Shorter PVC panels (B - 6 pcs) are for corners and short frame sides longer panels (A - 4 pcs) are for the long sides of the trampoline.




Digging the trampoline pit



Position the frame on the location you chose and mark the position on the ground. It's best to mark out a hole a bit wider than the diameter of your trampoline.

This will make it easier for you to put the frame in and find the right level. Dig the pit to the following dimensions:

| TRAMPOLINE SIZE | | | | |
|---------------------------------|-----------------------------|-----------------------------|--|--|
| Dimension A: Trampoline size | Dimension B: Inner hole | Dimension C: Total depth | | |
| 17 x 10 ft / 518 x 305 cm | 478 x 265 cm / 15'8" x 8'8" | 110 cm / 3'7'' | | |



The hole should not accumulate water (in which case the drainage is necessary) and it should be possible to clean during maintenance.

First, dig the outer hole to create a ledge for your trampoline frame, which needs to be 25 cm / 10" deep. This is the exact frame height, so that the safety pad on top of the frame will be just above the grass level. Continue by digging the inner hole. Dig the inner hole according to the dimensions of your trampoline and with a bowl-shaped bottom. The inner hole should be 40 cm / 1'4" narrower than the trampoline size. This will leave a 20 cm / 8" ledge all around on which the trampoline will sit.

AKROBAT HINT:


It's a relatively easy task to hand dig the hole for smaller size trampolines, but it would be best to hire a mini digger to excavate most of the soil and leave you with the finishing touches.

Note: You will need to save some of the soil for later.

How to measure the hole depth

5

To properly measure the depth of the hole, use the measuring tape provided in the kit. Stretch the tape over the entire dimension of the trampoline pit. Smaller holes on both sides of the measuring tape indicate the dimension of your trampoline size. When placing the measuring tape in the area, it is first necessary to check that the measuring marks indicate the edge dimension of your trampoline. Once the edge dimension is determined, then you can easily define the central position of the pit, which indicates, where the pit for your trampoline should be the deepest (110 cm / 3'7'').





Cover the complete surface with the weed protection, then place the trampoline frame into position. Make sure the membrane 'hugs' the shape of the hole and sits right at the bottom of the hole - keeping wjumping space under the mat.

10 ft / 305 cm 11 ft / 335 cm 12 ft / 366 cm 14 ft / 427 cm 17 ft / 518 cm 6 ft / 183 cm 8 ft / 244 cm





Placing the trampoline into the pit



Carefully place the trampoline on the ledge covered with the weed protection. Fill the remaining free space around the trampoline with the remaining soil, then cut off the excess material of the weed protection.

Check that the trampoline is well levelled. You may want to remove the trampoline to make any adjustments to the height that the frame is sitting on. Aim for the trampoline jumping mat to sit flush to the ground.

As this trampoline is very heavy we suggest to have at least four people at installation.

There should be no gap between the ground and your trampoline.

Finally, re-lay the saved soil around the trampoline and compact down as much as possible.





Inserting the foam into the frame pad

Inside the package you will find two parts of gray foam. This foam needs to be inserted into PVC pocket on the bottom side, located exactly in the middle of long side of the frame pad. Be carefull to place it so that round cut-out circles on the foam are on the outer side of the pad (this holes are made so that later you can fit poles into the enclosure sockets).


The foam must be completely in the cover, this can take some effort. The operation is similar to a pillowcase. The foam may therefore no longer be visible after installation and must be fully mounted in the PVC cover.



Attaching the frame pad



is on the inside.





Flip the frame pad over and pull the elastic band around the frame. Insert the toggle into the loop, then rotate the toggle inwards to secure it. Repeat with all frame pad elastics.

| \wedge |
|----------|
| |


Important:


The frame pad must cover the entire frame and all springs.



The last step to secure the frame pad to the trampoline is placing springs into the "spring loops". You will find 8 of them on the underside of the frame pad where each pad section joins the next one. Remove a single spring under every loop, slip it through the loop and reattach to the frame. Repeat with all loops. This will prevent the front of the pads from lifting up.

Lay the safety pad on top of the trampoline with the eyelets facing up. Insert the elastic toggles through the eyelets so the loop end of the elastic faces outwards and the toggle end





AKROBAT HINT:

If you find it too difficult to get the toggles in place, wedge a screwdriver carefully between the frame and PVC panel to attach the toggle. Using a flat-head screwdriver (or similar), push the loop end between the wall panel and frame. Insert the toggle from underneath and rotate to secure. Repeat with all elastics.






Assembling the full enclosure



The safety net is not part of the set. It is available as a separate item for purchase.



Placing the safety net poles and safety net*

13

We advise two people to install the safety net.

Open the zipper on net. Place the net on the trampoline, so that entrance is where the Warnings are printed on jumping pad. Start inserting metal poles into the enclosure sockets, starting with entrance pole. Lift poles with net through the 10 cm slot between the pad sections and push it to the sockets in middle junction part of the frame. Make sure that they are fitting in the hole entirely, to secure that the net pole is fixed. Repeat the same step with all of the rest poles around the trampoline.







CONGRATULATIONS!

Your Akrobat trampoline is now ready to be used. Enjoy!

If this is your first trampoline, we advise you to start by learning the basic jumps described in this manual.



4. TRAMPOLINE MAINTENANCE

Check your trampoline before each season thoroughly – particularly the frame, frame pad, springs, jumping mat and safety net. We advise regular check-ups during the season as well. In contrary, damaged parts could be overlooked, which may result in severe accidents or injuries.

Your check list should include following points:

- All parts are well attached.
- All springs are well secured to the frame and the rings on the jumping mat.
- The trampoline has no damages, such as rips, holes, sharp, twisted or broken parts. If you notice any damage, change the parts immediately.
- Check the safety net and the poles for potential damages and replace the safety net every 2 years.

For the best maintenance of your trampoline, also make sure no animals are allowed on the trampoline as they could damage both the frame pad and the jumping mat.

The trampoline should be disassembled and withdrawn from use at once in case of any damage or missing parts until the defects are repaired or parts replaced.

Extreme weather conditions can impact the trampoline materials, therefore follow these recommendations:

- Disassemble the safety net in case of strong wind and weigh the trampoline down. Store the safety net in a safe place.
- Remove the jumping mat during winter season as the weight of the snow could damage the mat.
- Protect the trampoline from direct heat, fire, sparks and fireworks.
- Protect your trampoline from heavy rain and snow as well.

The trampoline pit should not accumulate water (in which case the drainage is necessary) and it should be possible to clean during maintenance.

Cleaning the trampoline:

All Akrobat trampoline mats and frame pads are made of durable high-quality materials and should not be cleaned with any aggressive cleaning products! Trampoline surfaces are best cleaned with mild soapy water and thoroughly rinsed with water afterwards.

Remember, the trampoline should only be used by one person at the time!





Akrobat trampoline weather cover

Providing year-round maximum protection from damage caused by weather and debris, Akrobat trampoline cover increases the lifespan of your trampoline and adds durability for countless jumping moments. It is made of UV-resistant high-quality PVC and available for all sizes and shapes of Akrobat trampolines.



Akrobat UV pvc protectant spray

All weather conditions and UV-radiation PVC trampoline protectant spray leaves an enduring dirt resilient finish, keeping PVC surfaces clean of soil, sweat, body oils and other. It will protect your frame pad from UV rays and extend the lifetime of PVC trampoline parts. It is safe to use on all PVC parts.

Akrobat trampoline shoe mat

The shoe mat helps you to stand comfortable, while taking the shoes off. It also helps keeping the trampoline nice and tidy.

Akrobat trampoline socks

Durable trampoline socks with high quality grips ensure a higher level of safety. The traction material used on the soles of the socks provides friction that reduces sliding and can decrease the likelihood of accidents. In case of numerous users, the socks also help control the spreading of microbes which can be exchanged between bare feet.

PLEASE KEEP THIS MANUAL FOR LATER USE.









6. JUMPING INSTRUCTIONS

Each jumper must start by learning slow and controlled jumps. Safe landings are the base of trampoline jumping skills and are important to learn at the beginning. Lack of these skills may result in severe injuries.

Both jumper and instructor should keep in mind that steady balance at each jump represents the base of successful trampoline jumping.

The stopping technique is equally important as jumping. Correct stopping represents one of the most important safety precautions in trampoline jumping. When losing control of the jump and/or balance the jumper has to react quickly to prevent injuries. In order to achieve this, the jumper should simply bend his knees before landing on the jumping mat. This is the safest way to stop the jump and prevent accidents.

While learning and training trampoline jumps, it is advised to have a persons standing around the trampoline in order to help the jumper if needed. Trampoline jumping is a physical strain and shouldn't last too long. A tired jumper can easily succumb to errors in jumping thus highly increasing risk of injury.

High trampoline jumps are considered advanced jumps and should not be allowed to inexperienced jumpers. It is extremely important to be sure that the height of the jump corresponds to the experience of the jumper.

PLEASE NOTE:

Beginners should learn the basic body positions and practice the basic bounces described in this manual.



To learn how to balance and jump, stand in the middle of the jumping area and bounce softly up and down to control the movement. Increase the intensity gradually, returning to the same position on the jumping mat with each bounce.




Focus on the jumping mat when jumping, failing to do so may guickly result in losing balance and falling.

Do not perform somersaults without supervision! Somersaults should be carried out only by experienced jumpers under supervision of an expert and using appropriate safety measurements.

7. BASIC TRAMPOLINE JUMPS


THE JUMPING JACK:

- 1. Start from a standing position with feet in shoulder width, head up and eyes on the trampoline mat.
- 2. Swing your hands forward, above your head and back in a circular motion.
- 3. Bring your feet together in mid-air and point your toes.
- 4. Land back on the center of the mat with your feet in shoulder width (the same as the starting position).




THE PRAYING MANTIS:

- 1. Start with a low bounce.
- 2. Land on your knees in shoulder width, keeping your back straight and keep your arms stretched out to maintain balance.
- 3. Bounce back to the starting position by using the bounce momentum and swinging your arms upwards.








THE FRONT DROP:

- 1. Start by softly bouncing up and down a few times.
- 2. Jump upwards and land with your hands and knees forward.
- 3. Push yourself off with your hands and jump back to the upright position.




BOTTOM BOUNCE:


- 1. Start with a basic starting position. Jump up, aiming to the center of the jumping mat.
- 2. Land with your legs stretched in front of you, with hands on both side of your hips and keep your back straight
- 3. Push yourself up with your hands to rebound to the starting position.



THE PANCAKE DROP:

- 1. Start off with a soft, low jump upwards.
- 2. Let yourself fall on your front, placing your hands on the jumping mat in front of you.
- 3. Push yourself up to the starting position.





THE TURTLE DROP:

- 1. Start with a soft upwards jump.
- 2. Land on your back, keeping your chin close to your chest and your knees bent. Keep your chin towards your chest as you land.
- 3. Kick your legs forward in order to jump up and land in the starting position.

THE ROLLING STONE:

- 1. Start from the front drop position and push to the left or right with your arms to start turning.
- 2. Turn your head and shoulders in the direction that your body is turning.
- 3. Keep your back parallel with the jumping mat and your head straight.
- 4. Return to the lying position to finish the jump, lying in the opposite direction as at the beginning.





THE FLYING BALLERINA:

- 1. Start with the sitting position.
- 2. Jump and turn your head left or right and swing your hands in the same direction to turn in the air.
- 3. Follow the motion with your hips to complete the turn.
- 4. Land in the sitting position to complete the jump.

You now master the basic jumps and are ready to jump even higher!

But remember to always stay in control of your jumps.

ENJOY IN PURSUING YOUR PASSION FOR JUMPING!





